

## Village Of Little Chute

**OVERSIZE/OVERWEIGHT SINGLE TRIP PERMIT APPLICATION TO TRANSPORT**

NON-DIVISIBLE LOAD EXCEEDING STATUTORY SIZE and/or WEIGHT

Permittee must comply with the conditions of Wisconsin State Statutes section 348.25 and 348.26 and with the conditions of the Wisconsin Administrative Code Chapters Trans 251, 252, 254, and 255.

Permits are issued by the Village of Little Chute for movements on Village Roads Only

<b>PERMIT REQUESTED FOR</b>	<input type="checkbox"/> Overlength	<input type="checkbox"/> Overwidth	<input type="checkbox"/> Overheight	<input type="checkbox"/> Overweight
Name of Applicant – Owner or Lessee of Vehicles		Owner of Load		
Street or Route		Street or Route		
City	State	Zip	City	State
Area Code/Telephone Number		Area Code/Telephone Number		

<b>LOAD</b>	Article(s) Transported:								
Towing Vehicle:	Truck-Trailer	Truck-Tractor	Other	Make	License #	State	# Axles	Tire Size	Mfg. Rated Gross Wt.
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
Towed Vehicle:	Semi-Trailer	Full Trailer	Other	Undercarriage	Dollies	Make	License/Serial #	State	# Axles
	<input type="checkbox"/>								
<b>Size</b>	<b>EMPTY WEIGHT</b>	<b>LOADED WEIGHT</b>		<b>LENGTH</b>		<b>WIDTH</b>		<b>HEIGHT</b>	
				Feet	Inches	Feet	Inches	Feet	Inches
Load									
Towing Vehicle									
Towed Vehicle									
Overall									

<b>WEIGHT DISTRIBUTION</b> by Axle, Front to Rear									
AXLE NUMBER	1	2	3	4	5	6	7	8	9
# of Pneumatic Tires									
Requested Gross Axle Weight When Loaded (lbs)									
Spacing Between Axles (Ft-in)									

<b>TRIP INFORMATION</b>									
Route Loaded Trip	From (Describe exactly)			To (Describe exactly)				Total Miles	
	Roads				Date/Time of Move		Hours on Road		
Return Or Empty Trip	From (Describe exactly)			To (Describe exactly)				Total Miles	
	Roads				Date/Time of Move		Hours on Road		

 Private escort(s) will be provided. If yes, indicate how many \_\_\_\_\_

<b>INSURANCE</b> (Provide Certificate of Insurance)		<b>ACCEPTANCE OF CONDITIONS</b>	
Company		I, the applicant, hereby certify that the statements contained in the application are true and correct, that I have read and understood the General Conditions which are a part of and attached to this form, and, if granted a permit, I will comply with all terms and conditions set forth in this permit.	
Address			
Policy Number	Expiration	Signature:	Date:

**PERMIT APPROVAL**

Permission is hereby granted to the applicant to transport on the described vehicle or vehicles the load described in this application (including any approved amendments thereto), subject to the conditions which are part of and attached to this form, with the following special conditions required:

<input type="checkbox"/> Police escort(s) required	<input type="checkbox"/> Private escort(s) required
<input type="checkbox"/> Must have radio communications between all units involved in move	<input type="checkbox"/> Restricted Hours of Transport

Special Requirements. This permit is good for Village of Little Chute Roads only. Applicant is responsible for verifying adequate bridge clearance/capacity and maintaining legal axle weight distribution. Must contact Village of Little Chute Public Works Dept. prior to move with route to be taken.									
<u>Notes / Conditions of Approval:</u>									
Issuing Agent: Village Of Little Chute		Issued By:					Expiration Date:		
Approved By:			Date:		Permit and Review Fee:				



**OVERSIZE/OVERWEIGHT SINGLE TRIP PERMIT GENERAL CONDITIONS**  
To Transport Non-Divisible Loads Exceeding Statutory Size and/or Weight Limits  
Village of Little Chute

The following conditions apply to operations under all single trip permits issued under s. 348.26(2) Wisconsin Statutes and Ch. 254 Wisconsin Administrative Code, unless an exemption is specifically stated.

1. **SUFFICIENCY.** The issuance of a permit is not a guarantee of the sufficiency of any road or structure for the transporting of the vehicle, load, or vehicle and load.
2. **VEHICLE COMBINATIONS.** A permit may not authorize the operation of more than two (2) vehicles in combinations. This does not prohibit the use of dollies to support or assist in supporting on or both ends of a trailer.
3. **PERMIT VALIDITY.** (1) A permit is valid only for the vehicle described in the application and permit. (2) A permit is valid only on the route specified in the permit. (3) A permit may not be used in combination with a multiple trip permit to authorize the movement of an oversize or overweight vehicle, load, or vehicle and load. (4) An oversize or overweight vehicle may not be operated on a road, whether loaded or empty, at any time that the permit is not valid.
4. **PERMIT EXTENSION.** A request for an extension may be made to the Village at any time until the third day after the permit's expiration date. Permittee is allowed up to two extensions.
5. **RETURN TRIP.** A permit is valid only for the movement specified in the permit, which may include the return trip on the reverse route if requested and approved, and which includes the movement of the empty vehicle, whether or not oversize or overweight, to and from the place of pickup or delivery of the permitted load.
6. **ROADWAY LIMITATIONS.** (1) An issuing authority may suspend a permit, or any of its conditions, because of seasonal road conditions. Examples of seasonal road conditions include spring thaw, flooding, traffic congestion, or incident. (2) A permit is not valid during periods when adverse weather or road conditions, such as fog, smoke, heavy rain, snow or ice, or wind velocity, impair the safety of a movement under the permit.
7. **POSTED ROADS AND BRIDGES.** No conditions of a permit may modify any law or regulation limited loads because of local conditions, including load limits on bridges and roads, seasonal weight restrictions, or load limits imposed because of construction.
8. **OVERHEIGHT – WIRES AND CABLES.** When a vehicle operating under a permit is overheight, the permittee shall give prior notice to the owners of overhead wires, cables or other facilities which may be affected.
9. **OBSTRUCTIONS.** Permittee must evaluate the route prior to the move to ensure the load will legally clear all vertical and horizontal obstructions along the route. Permittee must ensure the load is capable of making necessary maneuvers without damaging any private or government property, violating the rules of the road, or causing traffic delays. If any obstructions are identified and require temporary removal or adjustment, permittee must promptly notify the Village. If any moving violations are expected to occur, permittee must notify relevant law enforcement. Permittee is responsible for making necessary arrangements prior to the move. Permittee must pay all costs associated with removal, adjustment, replacement and any other accommodation required for any obstruction.
10. **VEHICLE REGISTRATION.** (1) A vehicle operating under a permit shall be registered as required by Wisconsin Statutes, and shall be registered at not less than the permit weight or at the maximum available registration weight, whichever is less.
11. **CARRY PERMIT.** The driver of a vehicle operating under a permit shall carry the permit in the vehicle to which it applies and shall have the permit available for inspection by any police officer, representative of the issuing authority, or person in charge of the maintenance of the highway being used.
12. **OPERATING REQUIREMENTS.** (1) The driver of a vehicle operating under a permit shall, whenever reasonable and practicable, maintain a distance of not less than 1,000 feet between the permitted vehicle and any vehicle the driver is following, unless actually engaged in overtaking and passing another vehicle. (2) The driver of a vehicle operating under a permit shall allow traffic approaching or overtaking the permitted vehicle to pass, where it is safe to do so. (3) The right wheels of the towed unit may not leave the roadway, except to allow traffic to pass. A "roadway" does not include paved or unpaved shoulders.
13. **SPEED.** The vehicle operating under this permit shall at all times be operated at a safe and prudent speed, in any event not exceeding the lower of (a) posted speed limit; (b) the speed limit set forth in Section 12 below, if applicable; or (c) the speed limit, if any, specified on the face of this permit.
14. **SPEED RESTRICTION FOR LOADS 16 FEET OR WIDER.** The maximum speed of any vehicle with a load 16 feet or wider operating on roadways without paved shoulders shall be 35 mph.
15. **DIMENSIONS.** (1) The maximum size, axle, axle combination, and total weight limitations authorized by a permit may not be exceeded. (2) Property transported under a permit shall be loaded to minimize its size and weight. (3) An oversize vehicle used for transporting loads under a permit shall be reduced to legal size whenever possible when being operated without a load. (4) A load transported under a permit may not extend beyond the front of the power unit, beyond the left fender line of the transporting vehicle, or more than six inches beyond the right fender of the transporting vehicle, unless the overhang is minimized by suitable positioning of the vehicle.
16. **LOAD LIMITATIONS.** (1) Vehicles and loads which, when reasonably divided would not be oversize or overweight, may not be transported under this permit. (2) Loads which, when reasonably positioned on the transporting vehicle would not be oversize or overweight, may not be transported under the permit. (3) Loads consisting of more than one article, none of which are oversize, may not be transported under this permit. (4) Loads consisting of more than one article, one or more of which are oversize, may be transported under this permit only if (a) the vehicle and load is not overweight, and (b) the other articles transported do not cause the vehicle and load to be oversize in any manner different from the largest single article. (5) The load shall be properly secured and fastened to the transporting vehicle. (6) Wheels on one side of a transporting vehicle may not carry more than 60% of the total gross load.
17. **WARNING LAMPS.** When required by a permit, warning lamps shall be operated as required by Ch. Trans. 254.10(2) Wis. Admin. Code.
18. **LIGHTING.** (1) All required lamps shall be illuminated whenever the vehicle is operated during the hours of darkness. (2) All lamps shall be visible at a distance of 500 feet. (3) An oversize vehicle, or a vehicle with an oversize load operating during the hours of darkness, shall be equipped with the following additional lamps:  
  
OVERWIDTH vehicle or vehicle/load: (a) At the outermost extremity of the foremost edge of the projecting load, an amber lamp visible from the front and side; (b) At the outermost extremity at the rearmost edge of the projecting load, a red lamp visible from the rear and side; (c) Any portion of an oversize load extending beyond the width of the foremost or rearmost edge of the vehicle or load, shall be marked with an amber lamp visible from the front, both sides, and rear; (d) The oversize portion of a load measuring 3 feet or less from front to rear, shall be marked by a amber lamp visible from front, both sides, and rear, except that if the overweight projection is located at or near it shall be marked by a red lamp visible from front, side, and rear.  
  
OVERLENGTH vehicle or oversize load which extends more than 4 feet beyond the rear of the vehicle: (a) On each side of the projecting load, one red lamp, visible from the side, located so as to indicate maximum overhang; (b) On the rear of the projecting load, two red lamps, visible from the rear, one at each side and two red reflectors visible from the rear, one at each side, located so as to indicate maximum width.
19. **WARNING FLAGS.** (1) When a vehicle, load, or vehicle and load is overlength, a single flag shall be fastened at the extreme rear of the load if the overlength or projecting portion is 2 feet wide or less. (2) When a vehicle, load, or vehicle and load is overlength, 2 flags shall be fastened at the rear of the load to indicate maximum width if the overlength or projecting portion is wider than 2 feet. (3) When a vehicle, load, or vehicle and load is over width, a flag shall be fastened at each front and rear corner of the load. In addition, if any part of the load is more than 4 inches wider than the width of the load or vehicle at the front or rear, a flag shall be placed at the widest point of the load. (4) Each flag shall be solid red or orange in color, and not less than 18 inches square. (5) In order to wave freely, flags shall be securely fastened by at least one corner or securely mounted on a staff.
20. **WARNING SIGNS.** (1) When a vehicle, load, or vehicle and load, is more than 10 feet wide or is overlength, two warning signs shall be displayed. One sign shall be fastened at the front of the power unit and the other at either the rear of the towed unit or at the rear of the load. (2) Each sign shall state, in black letters on a yellow background "OVERSIZE LOAD", and may not be less than 7 feet long and 18 inches high. The letter of the sign may not be less than 10 inches high with a brush stroke of not less than 1.4 inches. (3) The sign message may not be displayed when the vehicle is not operating under the permit.  
  
A vehicle escorting an oversize vehicle shall have an "OVERSIZE LOAD" sign mounted above the roof of the escort vehicle and above any equipment mounted on the vehicle which would obscure an approaching driver's clear view of the sign. The lettering on the sign shall be 10 inches high in black on a solid yellow amber background and may not have a stroke width of less than 1.5 inches. The visible surface of the sign may not be less than 5 feet wide and 12 inches high. The sign shall be visible to traffic approaching from the front of an escort vehicle preceding a load. In the case of an escort vehicle operating to the rear of the load being transported, the sign shall be visible to traffic approaching from the rear. No sign message may be displayed to traffic when the escort vehicle is not escorting an oversize load.
21. **TIMES OF OPERATION – OVERWEIGHT.** Except as otherwise specified in a permit, a vehicle, load, or vehicle and load that is overweight, but not oversize, may operate 24 hours a day, including weekends and holidays.
22. **TIMES OF OPERATION – OVERWIDTH/GREATER THAN 12 FEET.** Except as otherwise specified in a permit, no oversize vehicle combination operating under a permit and that exceeds 12 feet width, 13.5 feet in height, or 150 feet in length, may operate during hours of darkness, during the period beginning at 12:00 noon on Saturday and continuing until sunrise on Sunday, between 4:00 pm and 8:00 pm on Sunday, or during the period beginning at 12:00 noon on the day preceding and continuing until sunrises on the day following every restricted-travel holiday.
23. **DISCRETIONARY AUTHORITY.** An issuing authority may issue a permit for times other than those specified in Conditions (20), or (21), under extraordinary circumstances when, in the opinion of the issuing authority, public health and welfare is better served, and may impose additional conditions to promote the safe operation of the vehicle and load.
24. **INDEMNIFICATION/HOLD HARMLESS.** Permit holder shall indemnify, hold harmless and defend the Village, its boards, commissions, agencies, officers, trustees, employees and representatives against any and all liability, loss (including, but not limited to, property damage, bodily injury and loss of life), damages, costs, reasonable attorney's fees, and expenses which Village, its officers, trustees, employees, agencies, boards, commissions and representatives may sustain, incur or be required to pay as a result of the permit or activities associated with the permit, provided, however, that the provisions of this paragraph shall not apply to liabilities, losses, charges, costs, or expenses caused by or resulting from the acts or omissions of the Village, its agencies, boards, commissions, officers, trustees, employees or representatives. The obligations of the permit holder under this paragraph shall survive the expiration or termination of the permit.